



Customized LED Vision Cloth SMD5050 RGB3in1 LED Vision Curtain

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Homei
- Certification: CE,SGS,RoHS
- Model Number: HM-V18
- Minimum Order Quantity: 10sqm
- Packaging Details: flightcase/carton
- Delivery Time: 5-7 working day
- Payment Terms: MoneyGram, Western Union, T/T,paypal
- Supply Ability: 10000SMQ/month



Product Specification

- Color Temperature(CCT): 6000K (Daylight Alert)
- Lamp Luminous Efficiency(lm/w): 120
- Support Dimmer: Yes
- Lighting Solutions Service: Lighting And Circuitry Design
- Lifespan (hours): 5000
- Working Time (hours): 50000
- Product Weight kg : 2
- Type: Projection Lights
- Input Voltage(V): AC90-260V/50Hz
- Lamp Luminous Flux(lm): 5000
- CRI (Ra>): 85
- Working Temperature(°C): -20 - 50
- Working Lifetime(Hour): 50000
- Application: Party, Wedding,bar,club,dj,disco



More Images



for more products please visit us on discostagelight.com

Beautiful durable flashing can be customized LED Vision Cloth SMD5050 RGB3in1 LED Vision Curtain

Products Description




Model Number	HM-V18
Power consumption	150W
Material	Double decker fireproof velvet
Application	disco, bar,stage,wedding,club.
Fuse	3A(power supplier) 10S(control PCB)
Control system	All on/DMX512/Sound Active/Automatic
Channel	8CH
Programs	30 different programs in multi controller
Led color	RGB 3in1
Led quantity	P18cm about 30pcs led/SQM
Curtain color	Black,Dark Blue,White,Red and etc
Regular size	2*3m,3*4m,3*6m,4*6m,4*8m,any size can be customized
Customized	any size can be customized

Products Shows

Any size and any pitch can be customized, contact us leave the size you want, we will send you quotation asap.



Production details



Eyelet



Female and male cable



Fixed hat



back zip

Installation Pictures



Guangzhou Hongmei Stage Lighting Co., Ltd



0086 15920458549



Joanna@homeilight.com



discostagelight.com

2nd Floor, No.1 Industrial Street, Yanger Village, Huadu istrict, Guangzhou,China