

Waterproof IP65 18W RGBWA UV 6in1 LED Uplight Fixture Par Light For **Outdoor Events**

Basic Information

- Place of Origin:
- Guangdong, China HOMEI
- Brand Name:
- Certification: CE,SGS,RoHS HM-P18WP
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 2 pieces carton/flightcase 5-7 working days
- MoneyGram, Western Union, T/T, paypal
- 500 Piece/Pieces per Month



Product Specification

- Color Temperature(CCT): 3200-7500K, COOL WHITE
- Lamp Luminous 200 Efficiency(lm/w):
- Color Rendering Index(Ra): 90
- Lighting Solutions Service: Lighting And Circuitry Design

50000

50000

- Lifespan (hours):
- Working Time (hours):
- Product Weight kg :
- Type: **Projection Lights**
- Input Voltage(V): AC 100V-264V±10%50-60HZ

90

IP65

6

- Lamp Luminous Flux(Im): 7950
- CRI (Ra>):
- Working Temperature(°C): -22 85
- Working Lifetime(Hour): 50000
- IP Rating:



More Images



Waterproof IP65 18W RGBWA UV 6in1 LED Uplight Fixture Par Light For Outdoor Events

Outdoor waterproof IP65 18pcs 18W RGBWA+UV 6in1 LED uplight fixture par light

Products Description



Product Detail

Flat deisgn make it easy to hang and take, light weight, small size. can put inside the truss .

Full range dimmer and strobe

High brightness rgbw 4in1 leds

Smooth dimming

Aluminum super slim light weight housing

Real Waterproof

Application

Indoor Wedding, stage, Club, KTV, Event, Party, TV station,Concert Building decorative,Garden Conference meeting Sport activities etc

Silent fan, better for church, theater, studio

waterproof powerin and out waterproof signal in and out



Products Name	Outdoor waterproof IP65 18pcs 18W RGBWA+UV 6in1 LED uplight fixture par light
Model Number	HM-P1806WP
Power consumption	230W
Light Source	RGBW 4in1 leds
Application	disco, bar,stage,wedding,club.
Display	LCD display
Control mode	DMX512, Master-slave, Auto Run, Sound active
Channel	8CH
Dimmer	0-100% Dimming
Packing size	35*25*25mm(1PC/CTN)
Weight	5.5KG

Products Shows



Production Line



