

## SGS DMX Lighting Splitter 8 Channel Output Signal Splitter For Stage Light

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Guangdong, China Homei

HM-Amplifier

Western Union, T/T,PayPal

2000 pieces per week

Use For Stage, Big Party

Guangzhou

- CE,SGS,TUV,Rohs Certification:
- Model Number:
- Minimum Order Quantity: 2 pieces
- Packaging Details: Carton/Flight Case
- Delivery Time: 7 working days
- Payment Terms:
- Supply Ability:



#### **Product Specification**

- Warranty(Year): 12 Months • Lighting Solutions Service: 24 Hours Online Services • Luminous Efficacy(Im/w): 200 • Product Weight kg : 3.5 • Type: MANUAL SWITCH • Max. Load Power: 300W Connection Mode: Connect Signal 110-240V/50-60HZ Voltage: • Power Consumption: 250W • Channel: 8 Signal Output 3.5kG • GW: 43\*55\*4cm • Size: Dmx Splitter
  - Keyword:
  - Application:
  - Port:



#### More Images



Our Product Introduction

#### **Product Description**

# Guangzhou Homei Lighting DMX Splitter 8output Signal Splitter For Stage Light

### **Products Description**

1.Power supply: AC220~240V 50Hz

2. Power: 15w

3.DMX signal input connector: XLR-D3/5M/XLR-D3/5F

- 4. DMX signal distribution output connector: XLR-D3F
- 5. Electrical isolation voltage between input and output interfaces:>1000v
- 6.Standard DMX512/1990 Digital Signal
- 7. DMX512 signal shaping and amplification, optimizing DMX signal, and extending DMX signal transmission distance
- 8. DMX512 signal distribution function, multiple DMX interfaces sharing a set of control systems
- 9. Adopt photoelectric high-voltage isolation technology, independent inductive power
- supply, independent DMX signal ground wire, and independent distribution, isolation, and shaping amplifier of professional DMX
- 10. Independent power indicator, independent signal input and output indicator
- 11. Strengthen input interface line DMX signal function
- 12. Standard cabinet is fixed and easy to install
- 13 Package size:45\*22\*40cm
- 14 gross weight: 3KG



