



Professional Sunny 512 DMX LED Light Controller Lighting Solutions for Stage Equipment

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Homei
- Certification: CE/SGS/RoHS
- Model Number: HM-512
- Minimum Order Quantity: 2piece
- Packaging Details: carton/flightcase
- Delivery Time: 5-7 working day
- Payment Terms: MoneyGram, Western Union, T/T, paypal
- Supply Ability: 500 Piece/Pieces per Month



Product Specification

- Warranty(Year): 1-Year
- Lighting Solutions Service: 24 Hours Online Services
- Luminous Efficacy(lm/w): 200
- Product Weight kg : 6.5
- Type: MANUAL SWITCH
- Max. Load Power: 200W
- Connection Mode: Cable
- Item: MA Command Wing
- Channel: 2048 Channels
- USBType: USB2.0 Interface
- DMX Output: 2DMX Output Port, 1DMX Input Port



More Images



Product Description

Professional Sunny 512 DMX LED Light Controller DMX Consoles Disco Stage Controller Equipment

Specification

- DMX512/1990 standard, 512 DMX control channels.
- 2 output with optical isolated. Anti 2000Vrms electrical shock. Independent board structure, easy to replace.
- Can control 16 channel 32 computer lights.
- Backlit LCD screen display operating parameters.
- 16 channel fader, 1 speed control rod.
- 1600 step storage capacity. 48 lights program, each program up to 100 steps. Step speed, gradient parameter independent set. Optional music sync or manual rate control.
- Can run the 4 program, the 48 scene at the same time, and also can make the lantern operation on the 32 computer lights.
- Different kinds of computer lights X/Y by shuttle wheel control.
- 15 environmental program, fast transfer of different scenes, walking lights, manual operation (lantern) combination.
- Music signal can be got from the audio line input or built-in microphone.
- Keep off data.
- High performance switching power supply, power harmonic distortion is very low and extremely wide voltage range, meet the requirements of power supply around the world.
- High-grade imported durable keys, function of selecting special lights.
- DMX signal output connector: XLR-D3Fx2.
- Audio line input connector: 1/4 mono socket.
- Optional 12V gooseneck lamp.
- Net weight: 6.94kg

Product Description





Guangzhou Hongmei Stage Lighting Co., Ltd



0086 15920458549



Joanna@homeilight.com



discostagelight.com

2nd Floor, No.1 Industrial Street, Yanger Village, Huadu istrict, Guangzhou,China